



## PROFIX

Highly **specialised** technical wipes

## ADVANCED TECHNOLOGY CLOTHS

## TECHNICAL CLOTHS





### ABSORPTION, RESISTANCE, SOFTNESS THE IDEAL SOLUTION FOR A FLAWLESS PERFORMANCE

The Profix range of rolls and cloths is so diverse to meet the needs of a wide variety of work contexts.

With their exceptionally **fast absorbency capacity** and great resistance to solvents, Profix products do not tear easily and are strong enough to absorb oil and **withstand wear heavy usage**.

The **lint-free** feature also makes them ideal for polishing and finishing operations. Profix multipurpose wipes, practical for many types of tasks, **minimise waste as they provide the right product for each job**.

## DESIGNED TO MAKE A DIFFERENCE





### A SPECIAL RANGE DESIGNED FOR PROFESSIONAL CONTEXTS

Available in a selection of weights and formats and in a choice of smooth or apertured finishes, the Profix range of products is **ultra-absorbent and resistant** yet **soft**, making it a versatile, smart solution.

Profix wipes can be used in multiple areas, precisely because of the different materials they are made of, ranging from contexts where care and precision are required, to others where grease or heavy grime must be removed.







AUTOMOTIVE FOOD WORKSHOPS PREPARATION

CLEANING







MEDICAL

HEALTH & REAUTY

OPTICAL LABORATORIES



Suitable for food contac



### Airlaid

## PROFIX

### The **tough** cloth with a **sensitive** side

### **GENTLE STRENGTH FOR FLAWLESS SURFACES**

Thanks to the material they are made of, Airlaid, **Profix Super cloths** grant better performances, similar to a fabric cloth. The special manufacturing of cellulose fibres, in dry conditions, gives the paper extremely high qualities: good resistance, even when wet, **great absorption** and **versatility of use**. Available in different grammages to suit a variety of applications.



Softness

O O O



Tear resistance



Abrasion resistance



Solvent resistance



absorption



Water absorption • • • •



Absorbs until 7 times its own weight



Extremely fast water absorption

### **FEATURES**

- Resistant even in wet conditions and more hygienic than textile rags.
- > Reusable, even when wet, and cost-effective.
- > Highly absorbent.
- > Suitable for cleaning work tools.

### **CERTIFICATIONS**



Suitable for food contact



## SUPER 320 370 400









### **APPLICATION CONTEXTS**









## Airlaid DRC PROFIX

### The soft crepe

### SOFT, ABSORBENT

Due to the special treatment of the cellulose, which is double creped, **Profix Tiger cloth** guarantees **fast absorption capacity**, even when it deals with large amounts of liquids.



Softness

• • • •



Tear resistance



Abrasion resistance



Solvent resistance



absorption



Water absorption



Absorbs until 6 times its own weight



Really fast water absorption

### **FEATURES**

- Made of DRC, Double Re-Creped Cellulose. The double creping of cellulose enhances the features of resistance, absorption and softness of the cloth.
- > Fast absorption of liquids and oily fluids.
- > Suitable for drying sensitive surfaces such as stainless steel and glass, without leaving any residues.
- > Soft and rubbing resistant.
- > Ideal for drying bedridden patients in hospitals or nursing homes, thanks to its high softness degree combined with its absorption power.

### **CERTIFICATIONS**



Suitable for food contact



## IGER










### **APPLICATION CONTEXTS**











100% Viscose

## PROFIX

### **Resistance** and care for all surfaces

### A DURABLE ALLY

Blue colour makes **Venet cloth** specifically suitable in **food preparation areas**, even for drying foodstuff. Its **resistance to solvents** makes it a proper wipe in industrial, craft, and automotive sectors for finishing painting operations.



Softness

O O O



Tear resistance



Abrasion resistance



Solvent resistance



oil absorption



Water absorption • • • • O



Absorbs until 7 times its own weight



Good water absorption

### **FEATURES**

- > Excellent tear and abrasion resistance.
- Low linting.
- > Silicon-free.
- Ideal for use in professional kitchens and food preparation areas.
- Suitable for finishing jobs in paintwork, thanks to its mesh structure and its resistance to most solvents.

### CERTIFICATIONS



Suitable for food contact



## VENET BLUE








### **APPLICATION CONTEXTS**









100% Viscose

## PROFIX

Each colour, a function Each touch, a cure

### THE COLOUR CODING OF CLEANING

Soft, wringable, tear and fray resistant, **4C** viscose **cloths** are the answer to everyday **professional cleaning** needs. Thanks to their colour coding, they can be targeted to specific cleaning tasks, thus **reducing the risk of cross-contamination**.



Softness

O O O



Tear resistance



Abrasion resistance



Solvent resistance



absorption



Water absorption



Absorbs until 7.5 times its own weight



Fast water absorption

### **FEATURES**

- Soft and delicate, thanks to the composition of 100% viscose.
- > Colour coding system avoids cross contamination.
- Suitable for prolonged use thanks to their tear and abrasion resistance.

### **CERTIFICATIONS**



Suitable for food contact



Compliant with HACCP regulation



## 4C

### Pink Yellow Green Blue









### **COLOUR CODING BY TYPE OF USE**



Cleaning of toilets, bidets, urinals.



Cleaning of all surfaces of kitchens and cafeterias, excluding floors.




Cleaning of wash basins, showers, tubs, taps, tiles and accessories.



Cleaning of polished surfaces, such as mirrors, glass, chandeliers and other furnishings.

### THE RANGE


### **Profix Super**



### **Profix Venet Blue**

Airlaid

DRC



34x24 cm

350


119 m

30+30


77 gr/sqm

### Profix 4C


Z Folded	LATI		Ô				
Profix 4C Pink - H066908-I							
	100% Viscose	1	75 gr/sqm	36x32 cm	32	15	24+24
Profix 4C Yellow - H066885-I							
	100% Viscose	1	75 gr/sqm	36x32 cm	32	15	24+24
Profix 4C Green - H066946-I							
	100% Viscose	1	75 gr/sqm	36x32 cm	32	15	24+24
Profix 4C Blue - H066922-I							
	100% Viscose	1	75 gr/sqm	36x32 cm	32	15	24+24



### **FEATURES**



Suggested level of performance, based on the comparison between products.  $\label{eq:comparison}$ 



# PROFIX

The professional partner FOR PROFESSIONALS



### **INDUSTRIE CELTEX S.p.A.**

### Headquarters

Via Trav. del Marginone, 23 55015 - Montecarlo Lucca - Italy

Ph. +39 0583 27 41 info@celtex.it

### **Management offices**

Via dei Sandroni, 22 55011 - Altopascio Lucca - Italy